

[Getting Started](#)
[Installation by grunt](#)
[What's Included](#)
[HTML Page Structure](#)  
[Setting your fonts](#)
[Color Scheme](#)
[Grid](#)
[Helper Classes](#)
[Contact Form](#)  
[Sections Introduction](#)
[RTL](#)

## Getting Started

Unzip the downloaded files to the local disk on your computer.

When it has finished you should have a folder with the following files & directories inside.

Folder	Contents
<b>development</b>	themes grunt and sass build system (for advanced users)
<b>production</b>	the theme folder
<b>Documentation</b>	contains theme's documentation

Inside the extracted folder there will be a folder with documentation and a folder "production" containing all source files. Upload the "production" Folder to your server via FTP.

## Installation by grunt

```
ellen ~ grunt
```

## What's Included

Learn about what's included files. check the below table

File Name	Description
<b>animate.css</b>	animate.css is a library built with css for make animations.
<b>bootstrap.min.css</b>	Bootstrap is a free and open-source front-end framework for designing websites and web applications.
<b>fontawesome.min.css</b>	Font Awesome is a font and icon toolkit based on CSS and SASS. It was made by Dave Gandy for use with Twitter Bootstrap
<b>GridLoadingAnimations.min.css</b>	Some inspiration for loading effects on grid items.
<b>owl.carousel.min.css</b>	Touch enabled jQuery plugin that lets you create beautiful responsive carousel slider.

<b>revealer.min.css</b>	some effects built with css for revealer effects
<b>style.css</b>	Main Stylesheets
<b>fonts/</b>	Custom fonts directory
<b>img/</b>	Images Directory
<b>anime.min.js</b>	Anime is a lightweight JavaScript animation library. It works with any CSS Properties, individual CSS transforms, SVG or any DOM attributes
<b>block_revealers_main.min.js</b>	some effects built with JS for revealer effects
<b>bootstrap.min.js</b>	Bootstrap is a free and open-source front-end framework for designing websites and web applications.
<b>GridLoadingAnimations.min.js</b>	Some inspiration for loading effects on grid items.
<b>imagesloaded.pkgd.min.js</b>	a Javascript library for check image loading
<b>jquery.min.js</b>	jQuery is a cross-platform JavaScript library designed to simplify the client-side scripting of HTML.
<b>jquery.paroller.js</b>	paroller.js is a lightweight jQuery plugin that enables parallax scrolling effect on selected elements.
<b>main.js</b>	Main Javascript Codes
<b>masonry.pkgd.min.js</b>	Masonry is a JavaScript grid layout library. It works by placing elements in optimal position based on available vertical space, sort of like a mason fitting stones in a wall.
<b>numscroller.js</b>	jQuery plugin for number increment rolling animation when it becomes visibile while scrolling.
<b>owl.carousel.min.js</b>	
<b>popper.min.js</b>	is a library using by bootstrap 4 framework.
<b>retina.min.js</b>	retina.js is an open source script that makes it easy to serve high-resolution images to devices with retina displays.
<b>scrollMonitor.min.js</b>	The scroll monitor allows you to receive events when elements enter or exit a viewport. It does this using watcher objects, which watch an element and trigger events. Watcher objects also contain information about the element they watch, including the element's visibility and location relative to the viewport. If your scroll container is an element other than the body you can create a container that creates watchers.
<b>video/</b>	Video files directory

<b>about-us.html</b>	About Us Page
<b>contact-us.html</b>	Contact Us Page
<b>index.html</b>	Home Page
<b>index-transparent-header.html</b>	Home Page with Transparent Header

## HTML Page Structure

```

<html>
  <head>
    [Page meta, page css files, page title, favicon etc]
  </head>
  <body>
    <header>
      [Logo, Main banner content]
      <nav>
        [Navbar content]
      </nav>
    </header>
    <section>
      [Sections]
    </section>
    <footer>
      [Footer content]
    </footer>
    [Js files content]
  </body>
</html>

```

## Setting your fonts

ellen template uses Google WebFont, there are thousands of fonts available, you can select fonts as per your need from [Google Fonts Library](#) and insert in head section

In order to use google fonts, you need to visit Google Fonts and follow the instructions on how to get a new font. After you have decided on the styles of the font that you want to load, google fonts will provide you with a code to copy as the first element in the <head> of your HTML document. The code would look similar to this e.g

```

<link href='http://fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,800,900&subset=latin&subset=latin-ext&subset=vietnamese&subset=thai&subset=hebrew&subset=georgian&subset=cyrillic&subset=cyrillic-ext&subset=latin-ext&subset=vietnamese&subset=thai&subset=hebrew&subset=georgian&subset=cyrillic&subset=cyrillic-ext' rel='stylesheet' type='text/css'>

```

Go to style.min.css in the production/css/ folder and add this rule for the integration of the fonts into your CSS to take place

```

body {
  font-family: 'Source Sans Pro', sans-serif;
  font-weight: 400;
}

```

with a default font-weight 400. From there you can set your custom rules for your font.

## Color Scheme

ellen template uses sass variables, so changing color scheme is much easier. You just need to add your color at one place and it will apply everywhere.

Go to development/lib/bootstrap-4.0.0/scss/\_variables.scss file, check for the variable name and replace the HEX color code.

## Grid

ellen template uses [Bootstrap 4 Grid Layouts](#).

### Some Example layout for Page column



## Helper Classes

ellen template uses standard bootstrap 4 utilities classes like for margin, padding etc. You can learn more about utilities classes [here](#) and use them as per your need.

## Contact Form

To connect the contact form with your email account please enter your email address into the contact-email.php file under \$recipient = "youremail@gmail.com"; and subject can be changed from \$subject = "Your Subject \$name";

```
/* Your Email. Add here */  
$recipient = "youremail@gmail.com";  
  
/* Customer Subject */  
$subject = "Your Subject $name\";
```

## Sections Introduction

The site is made of many sections like header, content, slider, testimonials, our partners and more...

The main sections Introduction below:

## Topbar

Inside the Topbar section following code demonstrate the individual Topbar detail.

In order to add more Topbar items, just copy and paste below code and make required changes.

```
<div class="topbar topbar--light">
  <div class="container">
    <div class="topbar__language dropdown float-left">
      <div class="dropdown-toggle" role="button" id="dropdownMenu" data-t
        <span class="topbar__language__text">ENGLISH</span><i class="top
      </div>

      <div class="dropdown-menu" aria-labelledby="dropdownMenu">
        <button class="dropdown-item" type="button">English</button>
        <button class="dropdown-item" type="button">Danish</button>
      </div>
    </div>
    <div class="topbar--light__social float-right d-none d-sm-block">
      <ul class="topbar__social__list">
        <li class="topbar__social__list__item">
          <a href="https://www.facebook.com/" class="topbar__social__list
        </li>
        <li class="topbar__social__list__item">
          <a href="https://www.twitter.com/" class="topbar__social__list_
        </li>
        <li class="topbar__social__list__item">
          <a href="https://www.instagram.com/" class="topbar__social_li:
        </li>
        <li class="topbar__social__list__item">
          <a href="https://www.linkedin.com/" class="topbar__social__list
        </li>
      </ul>
    </div>
  </div>
</div>
```

## Navbar Menu

Inside the Navbar Menu section following code demonstrate the individual Menu detail.

In order to add more Navbar Menu items, just copy and paste below code and make required changes.

```
<nav class="navbar navbar-expand-lg navbar-light main-navigation--moder
  <a class="navbar-brand" href="index.html">
      <li class="nav-item active">
        <a class="nav-link" href="home-1.html">Home <span class:
      </li>
      <li class="nav-item">
        <a class="nav-link" href="about-us.html">About</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="home-1.html#services">Service
      </li>
```

```

<li class="nav-item">
  <a class="nav-link" href="home-1.html#recent-works">Work</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="home-1.html#our-team">Team</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="home-1.html#news">News</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="home-1.html#testimonials">Testimonials</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="contact-us.html">Contact</a>
</li>
</ul>
<div class="main-navigation--modern_tel float-right d-none d-sm-block">
  <a href="tel:+12152146367">+1 (215) 2146367</a>
</div>
</div>
</nav>

```

You can change the social media links in this section.

## Change Logo

To change logo, place your logo file and find navbar-brand class in home-1.html (about.html - contact-us.html) file. Replace the current logo image name with yours.

```
<a class="navbar-brand" href="home-1.html">
```

## Slider

Inside the Slider section following code demonstrate the individual Slider detail.

```

<section class="index-slider-wrapper">
  <div data-ride="carousel" class="carousel carousel-fade ellen-index-slider">
    <div role="listbox" class="carousel-inner index-slider__inner">
      <div class="carousel-item index-slider__inner_item">
        <canvas class="canvas-dot-eff" style="position: absolute; width:1903px height:645px">
        </canvas>
        <div class="index-slider__inner_item_overlay"></div>
        
        <div class="carousel-caption index-slider__inner_item_caption">
          <h2 class="index-slider__inner_item_caption_headir">
            Let us help you grow your business
          </h2>
          <p class="index-slider__inner_item_caption_p d-none d-sm-block">
            There are endless possibilities in building your own business.
          </p>
          <p class="index-slider__inner_item_caption_p d-none d-sm-block">
            It all starts with an idea.
          </p>
          <div class="index-slider__inner_item_caption_button">
            <a href="about-us.html" class="btn btn-primary ir">
              ABOUT US
            </a>

```

```

        </div>
      </div>
    </div>

</div>

<a class="carousel-control-prev index-slider__left-nav" href="#e1
  <span class="icon-bc-right" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next index-slider__right-nav" href="#e
  <span class="icon-bc-right" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
</section>

```



You can change img tag and add your image address there.

## Footer

The footer area of the page contains the page's footer and requires the following markup

```

<footer id="footer" class="footer footer--appearance-1">
  <div class="container text-center">
    <a href="#header" class="footer__go-to-top m-auto"><i class='
  <div class="footer__logo"><a href="home-1.html">
    <ul class="footer__nav_list ">
      <li class="footer__nav_list_item">
        <a href="home-1.html" class="footer__nav_list_i
      </li>
      <li class="footer__nav_list_item">
        <a href="about-us.html" class="footer__nav_list_
      </li>
      <li class="footer__nav_list_item">
        <a href="home-1.html#services" class="footer__nav
      </li>
      <li class="footer__nav_list_item">
        <a href="home-1.html#recent-works" class="footer_
      </li>
      <li class="footer__nav_list_item">
        <a href="home-1.html#our-team" class="footer__nav
      </li>
      <li class="footer__nav_list_item">
        <a href="home-1.html#news" class="footer__nav_li
      </li>
      <li class="footer__nav_list_item">
        <a href="home-1.html#testimonials" class="footer_
      </li>
      <li class="footer__nav_list_item">
        <a href="contact-us.html" class="footer__nav_li
      </li>
    </ul>
  </div>
  <div class="footer__social mt-5">
    <ul class="footer__social_list">
      <li class="topbar__social_list_item">
        <a href="https://www.facebook.com/" class="topbar
      </li>
      <li class="topbar__social_list_item">
        <a href="https://www.twitter.com/" class="topbar_
      </li>
      <li class="topbar__social_list_item">
        <a href="https://www.instagram.com/" class="topb
      </li>
      <li class="topbar__social_list_item">
        <a href="https://www.linkedin.com/" class="topbar
      </li>
    </ul>
  </div>
</div>

```

</footer>



You can change the social media links in this section.

## RTL

ellen template support RTL Languages

```
<!-- Include these file -->  
<link rel="stylesheet" href="css/style.rtl.min.css">  
<script src="js/main.rtl.min.js"></script>
```

```
<!-- RTL Class -->  
<section class="rtl-dir"></section>
```

```
<!-- RTL align -->  
<section class="rtl-align"></section>
```

ellen is a HTML template created by GreenHost.